

Roughly follows *Mushrooms of Northeastern North America*,  
Bessette, Bessette and Fischer (BB&F), Syracuse U. Press, 1997.

## Chief reporters:

NP = Noble Proctor of Connecticut;

BMC = Boston Mycological Club: (2, 3 and 4BMC = # of areas seen in)

George Riner, Wilbur &amp; Vivian Walworths, and.....

(PA) = Peter Alden suggested modifier or group name invented when no English name found in  
BB&F, the Peterson or Audubon mushroom guides.

|                         |                                  |  |                   |
|-------------------------|----------------------------------|--|-------------------|
|                         | <b>Split Gills</b>               |  | <b>2 species</b>  |
| Plicaturopsis crispa    | Crimped Gill Fungus              |  | NP                |
| Schizophyllum commune   | Common Split Gill                |  | NP                |
|                         | <b>Chanterelles &amp; Allies</b> |  | <b>4 species</b>  |
| Cantharellus cibarius   | (Golden, Common) Chantarelle     |  | NP                |
| C. cinnabarinus         | Cinnabar-red Chantarelle         |  | CT4, 3BMC, NP     |
| C. ignicolor            | Flame-colored Chanterelle        |  | NP                |
| Craterellus fallax      | Black Trumpet                    |  | NP                |
|                         | <b>Gilled Mushrooms</b>          |  | <b>98 species</b> |
| NO Agaricus reported    |                                  |  |                   |
| Agrocybe acericola      | Maple Agrocybe                   |  | NP                |
| A. praecox              | Spring Agrocybe                  |  | NP                |
| Amanita brunnescens     | Cleft-foot Amanita               |  | 2BMC, NP          |
| A. cirina               | Citron Amanita                   |  | NP                |
| A. flavoconia           | Yellow Patches (Amanita)         |  | 4BMC              |
| A. frostiana            | Frost's Amanita                  |  | BMC, NP           |
| A. fulva                | Tawny Grisette (Amanita)         |  | BMC, NP           |
| A. muscaria             | Yellow-orange Fly Agaric         |  | CT4, BMC, NP      |
| A. pantherina           | Panther Amanita                  |  | BMC, NP           |
| A. rubescens            | Blusher Amanita                  |  | 2BMC, NP          |
| A. spreata              | Hated Amanita                    |  | BMC, NP           |
| A. vaginata             | Common Grisette                  |  | NP                |
| A. verna                | Fool's Amanita                   |  | NP                |
| A. virosa               | Destroying Angel                 |  | PA, PM            |
| A. volvata              | Volvate Amanita                  |  | NP                |
| Armillaria mellea       | Honey Mushroom                   |  | NP                |
| Cantharellula umbonata  | Grayling Mushroom                |  | NP                |
| Clitocybe clavipes      | Fat-footed Clitocybe             |  | NP                |
| C. geotropa             | _____ Clitocybe                  |  | NP                |
| C. suaveolens           | Fragrant Clitocybe               |  | BMC               |
| Clitopilus prunulus     | Sweetbread Mushroom              |  | BMC, NP           |
| Collybia alkalivirens   | Little Brown Collybia            |  | NP                |
| C. dryophila            | Oak-loving Collybia              |  | BMC, NP           |
| C. tuberosa             | Tuberous Collybia                |  | NP                |
| Coprinus micaceus       | Mica Cap                         |  | NP                |
| C. plicatilis           | Japanese Umbrella Inky           |  | BMC               |
| Cortinarius cinnamomeus | Cinnamon Cort (PA)               |  | NP                |
| Crepidotus applantus    | Flat Crep                        |  | BMC, NP           |
| C. mollis               | Jelly Crep/Soft Stumpfoot        |  | NP                |



Rickenella fibula  
 Rozites caperata  
 Russula compacta  
 R. crustosa  
 R. emetica  
 R. fragilis  
 R. krombholzii (atropurpurea)  
 R. mariae  
 R. rosea  
 R. silvicola  
 R. variata  
 R. virescens  
 Tectella patellaris  
 Tricholomopsis rutilans  
 Xeromphalina campanella  
 Xerula furfuracea

## Fungi: Gilled Mushrooms (continued)

Orange Moss "Agaric"  
 Gypsy Nightcap  
 Firm Russula  
 Green Quilt Russula  
 Emetic Russula (Brittle-gill)  
 Fragile Russula  
 Blackish-red Russula  
 Purple-bloom Russula  
 Rosy Russula  
 Dry Woods Russula (PA)  
 Variegated Russula (Brittle-gill)  
 Green Russula (Brittle-gill)  
 Veiled Panus  
 Plums-and-custard  
 Fuzzy-foot  
 Rooted Collybia

NP  
 NP  
 NP  
 NP  
 NP  
 NP  
 NP  
 NP  
 BMC, NP  
 BMC, NP  
 NP  
 BMC, NP  
 NP  
 NP  
 NP  
 NP  
 NP

## Boletes

Boletellus chrysenteroides  
 Boletus affinis var. maculata  
 Boletus auriporus  
 B. badius  
 B. bicolor  
 B. chrysenteron  
 B. edulis  
 B. impolitus  
 B. ornatipes  
 B. pallidus  
 B. piperatus  
 B. rubellus  
 B. rufocinnamomeus  
 B. subvelutipes  
 Gyrodon merulioides  
 Gyroporus castaneus  
 Leccinum aurantiacum  
 L. scabrum  
 Phylloporus rhodoxanthus  
 Stribilomyces confusus  
 Suillus americanus  
 S. granulatus  
 S. pictus  
 Tylopilus alboater  
 T. badiceps  
 T. chromapes  
 T. eximius  
 T. felleus  
 T. rubrobrunneus

\_\_\_\_\_ Bolete  
 Spotted Bolete  
 \_\_\_\_\_ Bolete  
 Bay Bolete  
 Red-and-yellow Bolete  
 Red-cracked Bolete  
 King Bolete (Porcini)  
 \_\_\_\_\_ Bolete  
 Ornate-stalked Bolete  
 Pallid Bolete (PA)  
 Pepper Bolete  
 Oak-and-beech Bolete (PA)  
 \_\_\_\_\_ Bolete  
 Red-mouth Bolete  
 Ash-tree Bolete  
 Chestnut Bolete  
 Orange-capped Scaber-stalk  
 Birch Scaber-stalk  
 Gilled Bolete  
 Small-cap Old Man-of-the-woods  
 American Slippery-cap  
 Granulated Slippery-cap  
 Painted Suillus  
 Black Velvet Bolete  
 \_\_\_\_\_ Bolete  
 Chrome-footed Bolete  
 Lilac-brown Bolete  
 Bitter Bolete  
 \_\_\_\_\_ Bolete

## 29 species

BMC  
 BMC, NP  
 NP  
 NP  
 BMC, NP  
 BMC, NP  
 CT4, BMC, NP  
 NP  
 NP  
 NP  
 NP  
 BMC  
 NP  
 3BMC, NP  
 2BMC  
 4BMC, NP  
 NP  
 NP  
 NP  
 NP  
 NP  
 NP  
 NP  
 NP  
 NP  
 NP  
 NP

## Polypores (PA: listed A-Z by genus; BB&amp;F has 10 subgroups) 34 sp.

Bjerkandera adusta  
 Cerrera unicolor  
 Coltricia cinnamomea  
 C. perennis  
 Cryptoporus volvatus  
 Daedalea quercina

Smoky Polypore  
 Mossy Maze Polypore  
 Shiny Cinnamon Polypore  
 After-burn Polypore (PA)  
 Veiled Polypore  
 Thick-maze Oak Polypore

NP  
 BMC, NP  
 2BMC, NP  
 NP  
 NP  
 NP

|   |                                   |                          |
|---|-----------------------------------|--------------------------|
| Daedaleopsis confragosa   | Thin-maze Flat Polypore           | NP                       |
| Fomes fomentarius   | Tinder Polypore                   | BMC, NP                  |
| Hapalopilus nidulans  | Tender Nesting Polypore           | NP                       |
| Heterobasidion annosum (Fomes anosus)   | Conifer-base Polypore (PA)        | NP                       |
| Ganoderma applanatum  | Artist's Fungus (Conk)            | BMC, NP                  |
| G. tsugae   | Hemlock Varnish-shelf             | NP                       |
| Gleophyllum sepiarium   | Yellow-red Gill Polypore          | NP                       |
| Irpex lacteus   | Milk-white Toothed-Polypore       | NP                       |
| Laetiporus sulphureus   | Sulphur Shelf (Chicken Mushroom)  | BMC, NP, PA, E.O. Wilson |
| Lenzites betulina   | Multicolor Gill Polypore          | NP                       |
| Meriplus sumstinei  | Black-staining Polypore           | *                        |
| * A huge cauliflower -like mass with a diameter of at least the 16" diameter listed as a max in BB&F was brought to the Harrington's evening gathering. Noble Proctor suggested it was <i>Meriplus giganteus</i> of ?Eurasia, which is incorrectly listed in place of <i>M. sumstinei</i> in many US Mushroom field guides. Taxonomic adjustments are a nightmare in most groups. |                                   |                          |
| Oxyporus populinaus   | Mossy Maple Polypore              | BMC, NP                  |
| Phaeolus schweinitzii   | Dye Polypore                      | NP                       |
| Phellinus gilvus  | Mustard-yellow Polypore           | NP                       |
| P. igniarius  | Flecked-flesh Polypore            | NP                       |
| Piptoporus betulinus  | Birch Polypore                    | BMC, NP                  |
| Polyporus arcularis   | Spring Polypore                   | NP                       |
| P. badius   | Black-footed Polypore             | NP                       |
| P. elegans (varius)   | Elegant Polypore                  | NP                       |
| P. mori (Favolus alveolaris)  | Hexagonal-pored Polypore          | BMC, NP                  |
| P. radicans   | Rooting Polypore                  | NP                       |
| P. squamosus  | Pheasant Polypore                 | BMC                      |
| Poria spissa  | Orange Poria                      | NP                       |
| Trametes (Polyporus, Coriolus) hirsuta  | _____ Turkey-tail                 | NP                       |
| T. (P., C.) versicolor  | _____ Turkey-tail                 | 2BMC, NP                 |
| Trichaptum abietinum  | Conifer Polypore (PA)             | NP                       |
| T. bifforme   | Violet Toothed-Polypore           | BMC, NP                  |
| Tyromyces chioneus  | White Cheese Polypore             | NP                       |
| <b>Tooth Fungi</b>  |                                   | <b>3 species</b>         |
| Climacodon septentrionale   | Northern Footh Fungus             | NP                       |
| Hydnochaete olivaceum   | Brown-toothed Crust               | BMC, NP                  |
| Hydnum repandum   | Sweet Tooth Hedgehog Fungus       | BMC                      |
| <b>Branched &amp; Clustered Coral Fungi</b>   |                                   | <b>5 species</b>         |
| Clavaria vermicularis   | White Worm Coral Fungus           | NP                       |
| Clavicornia pyxidata  | Crown-tipped Coral Fungus         | NP                       |
| Clavulina cristata  | Crested Coral Fungus              | 3BMC, NP                 |
| Ramaria (Clavaria) concolor   | Straight-branch Coral Fungus (PA) | NP                       |
| R. formosa  | Yellow-tipped Coral Fungus        | NP                       |
| <b>Jelly Fungi</b>  |                                   | <b>8 species</b>         |
| Calocera cornea   | Club-like Tuning Fork             | NP                       |
| Dacrymyces palmatus   | Orange Jelly (Witches' Butter)    | NP                       |
| Exidia glandulosa   | Black Jelly Roll                  | NP                       |
| E. nucleata   | Granular Jelly Roll               | NP                       |
| Syzygospora mycetophila   | Collybia Jelly                    | BMC                      |
| Tremella foliacea   | Jelly Leaf                        | NP                       |
| T. lutescens  | Yellow Witches' Butter            | NP                       |
| Tremellodendron pallidum  | Jellied False Coral Fungus        | BMC, NP                  |

|  |   |  |            |
|--|---|--|------------|
| <b>p 6</b>   | <b>Crust and Parchment Fungi</b>          | <b>7 species</b>                           | <b>p 6</b> |
| Chondrostereum purpureum   | Silver-leaf Fungus                        | NP   |            |
| Hymenochaete tabacina  | Northern Brown Crust (PA)                 | NP   |            |
| Laxitextum bicolor   | Two-tone Parchment                        | NP   |            |
| Stereum complicatum  | Crowded Parchment                         | NP   |            |
| S. hirsutum  | Hairy Parchment                           | NP   |            |
| S. ostrea  | False Turkey-tail                         | BMC, NP                                    |            |
| Xylobalus fustulatus   | Ceramic Parchment                         | NP   |            |
|  | <b>Puffballs, Earthstars &amp; Allies</b> | <b>5 species</b>                           |            |
| Astreus hygrometricus  | Barometer Earthstar                       | BMC  |            |
| Lycoperdon perlatum (gemmatum)                                       | Gem-studded Puffball                      | BMC, NP                                    |            |
| L. pyriforme   | Pear-shaped Puffball                      | BMC, NP                                    |            |
| Scleroderma citrinum   | Pigskin Poison* Puffball                  | BMC, NP                                    |            |
| PA: Why isn't Poison in the English name of all poisonous mushrooms? |   |  |            |
|  | <b>Stinkhorns</b>                         | <b>1 species</b>                           |            |
| Pseudocolus fusiformis   | Stinky Squid Fungus                       | BMC  |            |
|  | <b>Bird's-nest Fungi</b>                  | <b>1 species</b>                           |            |
| Crucibulum laeve   | White-egg Bird's-nest Fungus              | NP   |            |
|  | <b>Morels &amp; Allies</b>                | PA: none reported, common a month earlier. |            |
|  | <b>Cup &amp; Saucer Fungi</b>             | <b>13 species</b>                          |            |
| Ascocoryne sarcoides   | Purple Jelly Drops                        | NP   |            |
| Bisporella citrina   | Yellow Fairy Cups                         | NP   |            |
| Chlorociboria aeruginascens  | Blue-green Stain                          | BMC, NPC                                   |            |
| Chlorosplenium chlora?   | Yellow Stain (PA)                         | BMC, NP                                    |            |
| Dasyscyphus virgineus  | Stalked Hairy Fairy Cup                   | NP   |            |
| Galiella rufa  | Hairy Rubber Cup                          | NP   |            |
| Melastiza charteri   | Orange False Eyelash Cup                  | NP   |            |
| Peziza badia   | Yellow Ear Cup                            | NP   |            |
| P. phyllogena (badio-confusa)  | Common Brown Cup                          | NP   |            |
| Rhytisma acerinum  | Tar Spot of Maple                         | NP   |            |
| Scutellinia erinaceus  | Orange Eyelash Cup                        | NP   |            |
| S. scutellata  | Reddish Eyelash Cup (PA)                  | BMC  |            |
| Tarzetta catinus   | _____ Cup                                 | NP   |            |
|  | <b>Earth Tongues &amp; Allies</b>         | <b>2 species</b>                           |            |
| Phaeocalicium polyporaum   | Black Matchstick Fungus (PA)              | NP   |            |
| Trichoglossum hirsutum   | Velvety Earth-tongue                      | NP   |            |
|  | <b>Flask Fungi &amp; Allies</b>           | <b>7 species</b>                           |            |
| Apiosporina morbosa  | Black Knot of Cherry                      | NP   |            |
| Creopus (Hypocrea) gelatinosus                                       | Yellow Cushion Hypocrea                   | NP   |            |
| Daldinia concentrica   | Carbon Balls                              | NP   |            |
| Hypoxyton fragiforme   | Red Cushion Fungi                         | NP   |            |
| Nectria cinnabarina  | Coral Spot Fungus                         | NP   |            |
| Ustilina deusta  | Carbon Cushion                            | NP   |            |
| Xylaria polymorpha   | Dead Man's Fingers                        | NP   |            |
|  | <b>Hyper-parasite Fungi</b>               | <b>1 species</b>                           |            |
| Hypomyces chrysospermus  | Bolete Mold                               | 2BMC, NP                                   |            |
|  | <b>Slime Molds (by Noble Proctor)</b>     | <b>16 species</b>                          |            |
| Acryia cinerea   | Fuligo septica                            | Physarum polycephalum                      |            |
| A. denudata  | Hemitrichia calyculata                    | P. viride                                  |            |
| Brefeldia maxima   | H. serpula                                | Stemonitis fusca                           |            |
| Ceratorium fruticulosa*(vars flexuosa & poroides)                    |   | S. splendens                               |            |
| Dictydium cancellatum  | Leocarpus fragilis                        | Trichia scabra                             |            |
| Didymium iridis  | Lycogala epidendrum                       |  |            |